



Punjab Government Gazette

Published by Authority

No. 47] CHANDIGARH, FRIDAY, NOVEMBER 22, 2019 (AGRAHAYANA 1, 1941 SAKA)

PART III

Notifications by High Court ; Labour Commissioner ; Advertisements ;
Director of Lotteries, Punjab and Notices, etc.



Punjab State Power Corporation Limited

(Regd. Office: PSEB Head Office, The Mall, Patiala)

Office of Chief Engineer /Transmission System

B-1, Shakti Vihar, Patiala.

Corporate Identity Number (CIN) U40109PB2010SGC033813

NOTIFICATION

The 4th November, 2019

No. 72/TSN-207/Vol-VIII.-It is hereby notified that Punjab State Power Corporation Ltd. (here-in-after called the PSPCL) proposes to undertake the following schemes/transmission works necessary for the dispersal/distribution of power for the improvement of the transmission and distribution system of the Punjab State Power Corporation Ltd.

66KV TRANSMISSION WORKS FOR THE YEAR 2019-20

Sr. No.	Name of Work indicating the villages/localities over which the line is to pass	Approx. Length of line in Kms.	Size of conductor/ Cable (sq. mm)	Approx. Cost (Rs. in Lacs)
1.	Raising of 11 KV line over Ravi River near Ranian BOP TOTA Picket (Near Ranian for crossing of Ravi river).	0.790 Ckt. KM	7/2.24 mm	10
2.	66 kV Line from M/s Bhogpur Sugar Mills Ltd., Bhogpur to Soosan SC on DC Towers (Village - Soosan, Dhamuli, Gehrian, Behram Sarista, Bhundian, Gignowal, Jandir, Moga, Bhogpur).	7.474 Ckt. KM	200 sq. mm	169
3.	66 kV LILO line from 220 kV Bhateri-Devigarh for 66 kV S/S Bhankhar (Village - Laleena, Bolar-Kalan, Bolari, Ballan, Bhankhar).	5.938 Ckt. KM	200 sq. mm	175
4.	66 kV SC on DC line from Matti to Gurthari (Village- Matti)(Revised).	0.450 ckt. KM	200 sq. mm	35
5.	66 kV SC on DC line M/S Sukhbir Agro Energy Ltd. Village Sedha Singh Wala to 220 kV G/S/S Bajakhana (Village- Sedha Singh wala)(Revised).	1.012 ckt. KM	200 sq. mm	23

6.	66kV Line from Kup-Kalan to Ahmedgarh (TL No. 49 to 52)(Near 66 kV S/S Ahmedgarh)(Revised).	0.355 Ckt. KM	200 sq. mm	10
7.	Revised 66 kV line from Naraingarh to Hall Gate Amritsar at- TL.No.25(Near Hall Gate,Amritsar) Tower No.49(Near Amritsar-Bhagtwala Railway Track) TL.No. 50 to 63(Near Army Area,Amritsar)	0.250 Ckt. KM 0.284 Ckt. KM 1.394 Ckt. KM	200 sq. mm 200 sq. mm 200 sq. mm	45
8.	66 kV SC line on DC towers from Jaga Ram Tirath-Nangla Jorkian from TL No.44 to TL No.51 (Village-Nangla Jorkian).	1.345 Ckt. KM	200 sq. mm	38
9.	Replacement of existing 66 kV Talwandi Sabo- Bangi Nihal Singh (SC on DC) line and New 66 kV line from T-off tower to 66 kV Talwandi Sabo-Bangi Nihal Singh line to G/S/S Jiwan Singh Wala (New) SC on DC towers (Village- Talwandi Sabo, Jiwan Singh Wala).	10.874 Ckt. KM	200 sq. mm	267
10.	Raising of 66 kV SC on DC Line from Mudki to Kot Sukhia from over bridge Mudki bye pass at NH-54 Bathinda- Amritsar (Village- Mudki).	0.720 Ckt. KM	200 sq. mm	25
11.	Raising/ Shifting of 66 kV G-2 Mandi Gobindgarh-Grain Market Line over DFCC between Khanna-Mandi Gobindgarh Rly. Stsn. TL No.4-5 at KM 326/27-28(Near Khanna-Gobindgarh Railway Track).	0.630 Ckt. KM	200 sq. mm	21
12.	66 kV line Passiana TL no. 251 T-off line to 66 kV Patiala Replacement of S/C towers(ACSR 65 sq. mm) to D/C towers (ACSR 0.2 sq") (Locality- Arain Majra, Tej bagh colony, Rose colony, Mathura colony, SST Nagar complex, Bishan nagar old & new, Rajpura colony, Gurbax colony, Tafajal pura).	3.075 Ckt. KM	200 sq. mm	70
13.	66 kV line from 220 kV S/S Kharar to 66 kV S/S Badali Ala Singh (Replacement of existing S/C line on HRP with S/C on D/C towers) (Villages-Kharar, Bhago Majra, Badala/Badali, Madanheri,Deh Kalan, Mehmoodpur, Malikpur, Sotaal, Ghoga, Dabhali, Kheri Bir Singh, Saimpli, Saimpla, Rupal Heri, Kasumbri, Ghel,Niamu Majra,Badali Alla Singh).	16.251 Ckt. KM	200 sq. mm	367
14.	220 kV Mour to 66 kV Joga ralla SC on DC line LILO at Chauke TL no. 39 to 41(Revised)(Near 66 kV S/S Chauke).	0.282 Ckt. KM	200 sq. mm	9

It is hereby notified that the PSPCL is undertaking and executing the sanctioned scheme and shall have the powers for placing of any Towers, Wires, Poles, Stays, Apparatus and Appliances for the Transmission and Distribution of Electricity or for Transmission of telegraphic or telephonic communications necessary for proper coordination of the works of PSPCL for the areas indicated above which the telegraph authority possess under Part-III of the Telegraphs Act. 1885 (XIII of 1885) in respect of telegraphs established or maintained and the provisions of section 164 of the Indian Electricity Act 2003 shall not apply to the same and therefore no separate notice of the scheme of PSPCL is required to be given.

This notification has been issued in respect of the provisions made under Section 164 of the Indian Electricity Act 2003 and Govt. of Punjab, Dept. of Power order no. S/O. 46/C.A. 36 /2003/S.164/2013 dt 19-6-2013 where in powers of Telegraph authority under part-III of the Indian Telegraph act, 1885 (Central Act no.13 of 1885) have been decided to be vested and exercised on PSPCL. Notice is hereby given that any person may raise objection if any/and or make any representation against the above scheme/transmission works within two month of issue of this notification. Thereafter no objection and or representation will be entertained and all schemes/transmission works will be deemed to be sanctioned with or without modifications as approved by the PSPCL. Necessary plans showing the tentative route of the Transmission Lines may be seen on any working day in the office of Dy. CE/TL, PSPCL, Jalandhar/Patiala. Objections and/or representations in respect of the above schemes if any should be sent to the undersigned.

The above works have been planned to augment / add 66 kV transmission network in the state of Punjab so as to ensure quality and uninterrupted power supply to all type of existing/prospective electricity consumers of the state. These works are urgently required for ensuring quality power supply to the electricity consumers.

Sd/-

Dy. CE /Trans. Lines (D),
PSPCL, Patiala.

Sd/-

Chief Engineer/TS,
Pb. State Power Corp. Ltd.
B-1, Shakti Vihar, Patiala.



Punjab State Power Corporation Limited

(ਰਜਿਸਟਰਡ ਆਫਿਸ ਪੰ:ਰਾ:ਬਿ:ਬੋ:ਹੈਡ ਆਫਿਸ ਬਿਲਡਿੰਗ ਦੀ ਮਾਲ, ਪਟਿਆਲਾ)

ਦਫਤਰ : ਮੁੱਖ ਇੰਜੀਨੀਅਰ / ਟੀ.ਐਸ., ਬੀ-1, ਸ਼ਕਤੀ ਵਿਹਾਰ, ਪਟਿਆਲਾ

ਕਾਰਪੋਰੇਟ ਆਈਡੈਂਟਿਟੀ ਨੰ: (CIN) U40109PB2010SGC033813

ਨੋਟੀਫਿਕੇਸ਼ਨ

ਮਿਤੀ 4 ਨਵੰਬਰ, 2019

ਨੰ: 72/ਟੀ.ਐਸ.ਐਨ-207/Vol-VIII.—ਇਹ ਦੱਸਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਪੰਜਾਬ ਰਾਜ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਜਿਸ ਨੂੰ ਹੁਣ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ ਕਿਹਾ ਜਾਵੇਗਾ) ਵਲੋਂ ਨਿਮਨਲਿਖਤ ਸਕੀਮਾਂ/ਟਰਾਂਸਮਿਸ਼ਨ ਦੇ ਕੰਮ ਸ਼ੁਰੂ ਕਰਨ ਦਾ ਪ੍ਰਸਤਾਵ ਹੈ, ਜਿਹੜੀਆਂ ਪੰਜਾਬ ਰਾਜ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਦੇ ਸੰਚਾਲਣ ਅਤੇ ਵੰਡ ਵਿੱਚ ਸੁਧਾਰ ਕਰਨ ਲਈ ਬਿਜਲੀ ਦੀ ਡਿਸਪਰਸਲ /ਵੰਡ ਲਈ ਜ਼ਰੂਰੀ ਹਨ।

66 ਕੇਵੀ ਲਾਈਨਾਂ ਦੇ ਕੰਮ ਬਾਬਤ ਸਾਲ 2019-20

ਲੜੀ ਨੰ:	ਕੰਮ ਦਾ ਨਾਮ ਸਮੇਤ ਪਿੰਡ/ਬਸਤੀਆਂ ਥਾਵਾਂ ਜਿੱਥੋਂ ਲਾਈਨ ਨੇ ਲੰਘਣਾ ਹੈ	ਅੰਦਾਜ਼ਨ ਲਾਈਨ ਦੀ ਲੰਬਾਈ ਕਿ:ਮੀ:ਵਿੱਚ	ਸਾਈਜ਼ ਆਫ ਕੰਡਕਟਰ/ਕੇਬਲ (sq.mm)	ਅੰਦਾਜ਼ਨ ਕੀਮਤ (ਲੱਖਾਂ ਵਿੱਚ)
1.	ਰੇਜਿੰਗ ਆਫ 11 ਕੇ.ਵੀ. ਲਾਈਨ ਓਵਰ ਰਾਵੀ ਰਿਵਰ ਨੇੜੇ ਰਨੀਆਂ ਬੀ.ਓ.ਪੀ. ਟੋਟਾ ਪਿਕਟ (ਨੇੜੇ ਰਨੀਆਂ, ਰਾਵੀ ਰਿਵਰ ਕਰਾਸਿੰਗ ਲਈ)।	0.790Ckt. KM	7/2.24mm	10
2.	66 ਕੇ.ਵੀ. ਲਾਈਨ ਫਰਾਮ ਮੈਸ:ਭੋਗਪੁਰ ਸੁਗਰ ਮਿਲਜ਼ ਲਿਮਲਿਡ, ਭੋਗਪੁਰ ਟੂ ਸੂਸਨ ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਟਾਵਰਜ਼ (ਪਿੰਡ-ਸੂਸਨ,ਧਮੋਲੀ, ਗਹਿਰੀਆਂ, ਬਹਿਰਾਮ ਸਰਿਸਟਾ, ਭੁੰਡੀਆਂ, ਗਿਗਨੋਵਾਲ, ਜੰਡੀਰ, ਮੋਗਾ, ਭੋਗਪੁਰ)।	7.474Ckt. KM	200sq.mm	169
3.	66 ਕੇ.ਵੀ. ਲੀਲੇ ਲਾਈਨ ਫਰਾਮ 220 ਕੇ.ਵੀ. ਭਟੇੜੀ-ਦੇਵੀਗੜ੍ਹ ਫਾਰ 66 ਕੇ.ਵੀ. ਸ/ਸ ਭਾਂਖਰ (ਪਿੰਡ-ਲਲੀਨਾ, ਬੋਲੜ ਕਲਾਂ, ਬੋਲਾੜੀ, ਬਾਲਨ, ਭਾਂਖਰ) ।	5.938Ckt. KM	200sq.mm	175
4.	66 ਕੇ.ਵੀ.ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਲਾਈਨ ਫਰਾਮ ਮੱਤੀ ਟੂ ਗੁਰਬਤੀ (ਪਿੰਡ- ਮੱਤੀ) (ਰੀਵਾਇਜ਼ਡ)।	0.450ckt. KM	200sq.mm	35
5.	66 ਕੇ.ਵੀ. ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਲਾਈਨ ਮੈਸ: ਸੁਖਬੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮਟਿਡ ਪਿੰਡ ਸੇਧਾ ਸਿੰਘ ਵਾਲਾ ਟੂ 220 ਕੇ.ਵੀ. ਗ/ਸ/ਸ ਬਾਜਾਖਾਨਾ (ਪਿੰਡ- ਸੇਧਾ ਸਿੰਘ ਵਾਲਾ) (ਰੀਵਾਇਜ਼ਡ)।	1.012ckt. KM	200sq.mm	23
6.	66 ਕੇ.ਵੀ. ਲਾਈਨ ਫਰਾਮ ਕੁਪਕਲਾਂ ਟੂ ਅਹਿਮਦਗੜ੍ਹ (ਟੀ.ਐਲ. ਨੰ: 49 ਟੂ 52)।(ਨੇੜੇ 66 ਕੇਵੀ ਸ/ਸ ਅਹਿਮਦਗੜ੍ਹ) (ਰੀਵਾਇਜ਼ਡ)।	0.355Ckt. KM	200sq.mm	10
7.	ਰੀਵਾਇਜ਼ਡ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਫਰਾਮ ਨਰਾਇਣਗੜ੍ਹ ਟੂ ਹਾਲ ਗੇਟ ਅੰਮ੍ਰਿਤਸਰ ਐਟ ਟੀ.ਐਲ. ਨੰ:25 (ਨੇੜੇ ਹਾਲ ਗੇਟ ਅੰਮ੍ਰਿਤਸਰ) ਟਾਵਰ ਨੰ:49 (ਨੇੜੇ ਅੰਮ੍ਰਿਤਸਰ-ਭਗਤਾਵਾਲਾ ਰੇਲਵੇ ਲਾਈਨ) ਟੀ.ਐਲ. ਨੰ:50 ਟੂ 63. (ਨੇੜੇ ਆਰਮੀ ਏਰੀਆ, ਅੰਮ੍ਰਿਤਸਰ)	0.250Ckt. KM 0.284Ckt. KM 1.394Ckt. KM	200sq.mm 200sq.mm 200sq.mm	45
8.	66 ਕੇ.ਵੀ. ਐਸ.ਸੀ. ਲਾਈਨ ਆਨ ਡੀ.ਸੀ. ਟਾਵਰਜ਼ ਫਰਾਮ ਜੱਗਾ ਰਾਮ ਤੀਰਥ- ਨੰਗਲਾ ਜੋੜਕੀਆਂ ਫਰਾਮ ਟੀ.ਐਲ.ਨੰ:44 ਟੂ ਟੀ.ਐਲ. ਨੰ:51. (ਪਿੰਡ- ਨੰਗਲਾ ਜੋੜਕੀਆਂ)।	1.345Ckt. KM	200sq.mm	38

9.	ਰਿਪਲੇਸਮੈਂਟ ਆਫ ਐਗਜ਼ਿਸਟਿੰਗ 66 ਕੇ.ਵੀ. ਤਲਵੰਡੀ ਸਾਬੋ-ਬੰਗੀ ਨਿਹਾਲ ਸਿੰਘ (ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ.) ਲਾਈਨ ਅਤੇ ਨਿਯੂ 66 ਕੇ.ਵੀ. ਲਾਈਨ ਫਰਾਮ ਟੀ- ਆਫ ਟਾਵਰ ਟੂ 66 ਕੇ.ਵੀ. ਤਲਵੰਡੀ ਸਾਬੋ- ਬੰਗੀ ਨਿਹਾਲ ਸਿੰਘ ਲਾਈਨ ਟੂ ਗ/ਸ/ਸ ਜੀਵਨ ਸਿੰਘ ਵਾਲਾ (ਨਿਯੂ) ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਟਾਵਰਜ਼ (ਪਿੰਡ-ਤਲਵੰਡੀ ਸਾਬੋ, ਜੀਵਨ ਸਿੰਘ ਵਾਲਾ)।	10.874Ckt. KM	200sq.mm	267
10.	ਰੇਜਿੰਗ ਆਫ 66 ਕੇ.ਵੀ. ਐਸ.ਸੀ. ਆਨ ਡੀ.ਸੀ. ਲਾਈਨ ਫਰਾਮ ਮੁੱਦਕੀ ਟੂ ਕੋਟ ਸੁੱਖੀਆ ਫਰਾਮ ਓਵਰ ਬਰਿਜ਼, ਮੁੱਦਕੀ ਬਾਈਪਾਸ ਐਟ ਐਨ.ਐਚ.-54 ਬਠਿੰਡਾ- ਅੰਮ੍ਰਿਤਸਰ (ਪਿੰਡ-ਮੁੱਦਕੀ)।	0.720 Ckt. KM	200sq.mm	25
11.	ਰੇਜਿੰਗ/ ਸਿਫਟਿੰਗ ਆਫ 66 ਕੇ.ਵੀ. ਜੀ-2 ਮੰਡੀ ਗੋਬਿੰਦਗੜ੍ਹ-ਗ੍ਰੇਨ ਮਾਰਕੀਟ ਲਾਈਨ ਓਵਰ ਡੀ.ਐਫ.ਸੀ.ਸੀ. ਬਿਟਵੀਨ ਖੰਨਾ- ਮੰਡੀ ਗੋਬਿੰਦਗੜ੍ਹ ਰੇਲਵੇ ਸਟੇਸ਼ਨ ਟੀ.ਐਲ. ਨੰ:4-5 ਐਟ ਕਿ:ਮੀ 326/27-28.(ਨੇੜੇ ਖੰਨਾ-ਗੋਬਿੰਦਗੜ੍ਹ ਰੇਲਵੇ ਲਾਈਨ)।	0.630 Ckt. KM	200sq.mm	21
12.	66 ਕੇ.ਵੀ. ਲਾਈਨ ਪਸਿਆਣਾ ਟੀ.ਐਲ. ਨੰ:251 ਟੀ-ਆਫ ਲਾਈਨ ਟੂ 66 ਕੇ.ਵੀ. ਪਟਿਆਲਾ ਰਿਪਲੇਸਮੈਂਟ ਆਫ ਐਸ./ਸੀ. ਟਾਵਰਜ਼ (ਏ.ਸੀ.ਐਸ. ਆਰ. 65 ਸਕੁਅਰ ਐਮ.ਐਮ.) ਟੂ ਡੀ./ਸੀ. ਟਾਵਰਜ਼ (ਏ.ਸੀ.ਐਸ.ਆਰ. 0.2 ਸਕੁਅਰ ਇੰਚ) (ਸਥਾਨ-ਅਰਾਈ ਮਾਜਰਾ, ਤੇਜ਼ ਬਾਗ ਕਲੋਨੀ, ਰੋਜ਼ ਕਲੋਨੀ, ਮਥੁਰਾ ਕਲੋਨੀ, ਐਸ.ਐਸ.ਟੀ. ਨਗਰ ਕੰਪਲੈਕਸ, ਬਿਸ਼ਨ ਨਗਰ ਪੁਰਾਣਾ ਅਤੇ ਨਵਾਂ, ਰਾਜਪੁਰਾ ਕਲੋਨੀ, ਗੁਰਬਖ਼ਸ਼ ਕਲੋਨੀ, ਤਫਜ਼ਲਪੁਰਾ)।	3.075 Ckt. KM	200sq.mm	70
13.	66 ਕੇ.ਵੀ. ਲਾਈਨ ਫਰਾਮ 220 ਕੇ.ਵੀ. ਸ/ਸ ਖਰੜ ਟੂ 66 ਕੇ.ਵੀ. ਸ/ਸ ਬਡਾਲੀ ਆਲਾ ਸਿੰਘ (ਰਿਪਲੇਸਮੈਂਟ ਆਫ ਐਗਜ਼ਿਸਟਿੰਗ ਐਸ./ਸੀ. ਲਾਈਨ ਆਨ ਐਚ.ਆਰ.ਪੀ. ਵਿਦ ਐਸ./ਸੀ. ਆਨ ਡੀ.ਸੀ. ਟਾਵਰਜ਼) (ਪਿੰਡ-ਖਰੜ, ਭਾਗੋ ਮਾਜਰਾ, ਬਡਾਲਾ/ਬਡਾਲੀ, ਮਦਨਹੋੜੀ, ਦੇਹ ਕਲਾਂ, ਮਹਿਮੂਦਪੁਰ, ਮਲਿਕਪੁਰ, ਸੂਤਾਲ, ਘੋਗਾ, ਡੱਬਆਲੀ, ਖੇੜੀ ਬੀਰ ਸਿੰਘ, ਸੈਂਪਲੀ, ਸੈਂਪਲਾ, ਰੂਪਾਲ ਹੋੜੀ, ਕਸ਼ੁਬੜੀ, ਘੇਲ, ਨਿਆਮੂ ਮਾਜਰਾ, ਬਡਾਲੀ ਆਲਾ ਸਿੰਘ)।	16.251 Ckt. KM	200sq.mm	367
14.	220 ਕੇ.ਵੀ. ਮੌੜ ਟੂ 66 ਕੇ.ਵੀ. ਜੋਗਾ ਰੱਲਾ ਐਸ./ਸੀ. ਆਨ ਡੀ./ਸੀ. ਲਾਈਨ ਲੀਲੋ ਐਟ ਚੌਕੇ ਟੀ.ਐਲ. ਨੰ:39 ਟੂ 41 (ਰੀਵਾਇਜ਼ਡ) (ਨੇੜੇ 66 ਕੇ.ਵੀ. ਸ/ਸ ਚੌਕੇ)।	0.282 Ckt. KM	200sq.mm	9

ਇਹ ਦੱਸਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਉਕਤ ਦੱਸੀ ਮੰਨਜ਼ੂਰ ਸਕੀਮ ਦੇ ਅਧੀਨ ਲੋੜੀਂਦੀ ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨ ਅਤੇ ਦੂਰ ਸੰਚਾਰ ਨੈੱਟ ਵਰਕਸ ਦੇ ਕੰਮ ਲਈ ਜ਼ਰੂਰੀ ਟਾਵਰਜ਼, ਪੋਲਜ਼, ਵਾਇਰਜ਼, ਸਟੇਅਜ਼ (ਖਿੱਚਾਂ) ਅਤੇ ਹੋਰ ਸਾਜ਼ ਸਮਾਨ ਲਗਾਉਣਾ ਚਾਹੁੰਦਾ ਹੈ ਜਿਹੜਾ ਕਿ ਉਕਤ ਦੱਸੀਆਂ ਥਾਵਾਂ ਤੇ ਬਿਜਲੀ ਦੀ ਟਰਾਂਸਮਿਸ਼ਨ ਅਤੇ ਵੰਡ, ਟੈਲੀਗਰਾਫਿਕ ਜਾਂ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਦੇ ਆਪਸੀ ਤਾਲਮੇਲ ਲਈ ਦੂਰ ਸੰਚਾਰ ਨੈੱਟਵਰਕਸ ਲਈ ਜ਼ਰੂਰੀ ਹਨ। ਇਸ ਲਈ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ.ਉਨ੍ਹਾਂ ਅਧਿਕਾਰਾਂ ਦੀ ਵਰਤੋਂ ਕਰੇਗਾ, ਜਿਹੜੇ ਟੈਲੀਗਰਾਫਿਕ ਅਥਾਰਟੀਜ਼ ਟੈਲੀਗਰਾਫਿਕ ਐਕਟ-1885 (XIII- ਆਫ 1885) ਦੇ ਪਾਰਟ-3 ਅਧੀਨ ਟੈਲੀਗਰਾਫਜ਼ ਨੂੰ ਸਥਾਪਿਤ ਅਤੇ ਮੇਨਟੇਨ ਰੱਖਣ ਲਈ ਕਰਦੀਆਂ ਹਨ। ਇਸ ਲਈ ਇੰਡੀਅਨ ਇਲੈਕਟ੍ਰੀਸਿਟੀ ਐਕਟ -2003 ਦਾ ਸੈਕਸ਼ਨ 164 ਲਾਗੂ ਨਹੀਂ ਹੁੰਦਾ ਅਤੇ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਦੀ ਸਕੀਮ ਲਈ ਕੋਈ ਵੱਖਰਾ ਨੋਟਿਸ ਦੇਣ ਦੀ ਲੋੜ ਨਹੀਂ।

ਇਹ ਨੋਟੀਫਿਕੇਸ਼ਨ ਬਿਜਲੀ ਐਕਟ-2003 ਦੀ ਸੈਕਸ਼ਨ 164 ਦੀਆਂ ਨਵੀਆਂ ਧਾਰਾਵਾਂ ਮੁਤਾਬਿਕ ਜਾਰੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਜਾਂ ਓਵਰ ਰਾਈਡਿੰਗ ਇਨੈਕਟਮੈਂਟ ਜੋ ਕੋਈ ਹੋਵੇ ਅਤੇ ਪਾਵਰ ਡਿਪਾਰਟਮੈਂਟ, ਪੰਜਾਬ ਸਰਕਾਰ ਦੇ ਹੁਕਮ ਨੰ: S/O. 46/C.A. 36 /2003/S.164/2013 dt. 19-6-2013 ਅਨੁਸਾਰ ਇੰਡੀਅਨ ਟੈਲੀਗਰਾਫ ਐਕਟ-1885 (ਸੈਂਟਰਲ ਐਕਟ 13 ਆਫ

1885) ਦੇ ਪਾਰਟ 3 ਅਧੀਨ ਟੈਲੀਗਰਾਫ ਅਥਾਰਟੀ ਦੀਆਂ ਪਾਵਰਜ਼ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਨੂੰ ਦਿੱਤੀਆਂ ਗਈਆਂ ਹਨ। ਇਸ ਸਬੰਧੀ ਨੋਟਿਸ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਜੇ ਕਿਸੇ ਵਿਅਕਤੀ ਨੂੰ ਉਪਰੋਕਤ ਸਕੀਮ/ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨਾਂ ਦੇ ਕੰਮਾਂ ਸਬੰਧੀ ਕੋਈ ਇਤਰਾਜ਼ ਹੋਵੇ ਤਾਂ ਉਹ ਆਪਣੀ ਪ੍ਰਤੀ ਵੇਦਨਾ ਇਸ ਨੋਟੀਫਿਕੇਸ਼ਨ ਦੇ ਜਾਰੀ ਹੋਣ ਤੋਂ 2 ਮਹੀਨੇ ਦੇ ਅੰਦਰ-ਅੰਦਰ ਦੇ ਸਕਦਾ ਹੈ। ਇਸ ਤੋਂ ਬਾਅਦ ਕੋਈ ਇਤਰਾਜ਼ ਜਾਂ ਪ੍ਰਤੀ ਵੇਦਨਾ ਸਵੀਕਾਰ ਨਹੀਂ ਕੀਤੀ ਜਾਵੇਗੀ ਅਤੇ ਸਾਰੀ ਸਕੀਮ/ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨਾਂ ਦੇ ਕੰਮ ਬਿਨਾਂ ਕੋਈ ਸੋਧ ਕੀਤੇ ਜਾਂ ਸੋਧ ਕਰਕੇ ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ. ਦੀ ਮੰਨਜ਼ੂਰੀ ਮੁਤਾਬਿਕ ਲਾਗੂ ਮੰਨੇ ਜਾਣਗੇ। ਇਸ ਸਿਲਸਿਲੇ ਵਿੱਚ ਲੋੜੀਂਦੇ ਆਰਜ਼ੀ ਪਲਾਨ ਜਿਨ੍ਹਾਂ ਵਿੱਚ ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨਾਂ ਦੇ ਰਸਤੇ ਵਿਖਾਏ ਗਏ ਹਨ, ਕਿਸੇ ਵੀ ਕੰਮਕਾਰ ਵਾਲੇ ਦਿਨ ਉਪ ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ਟੀ.ਐਲ., ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ., ਜਲੰਧਰ/ਪਟਿਆਲਾ ਦੇ ਦਫਤਰ ਵਿੱਚ ਵੇਖੇ ਜਾ ਸਕਦੇ ਹਨ। ਉਪਰੋਕਤ ਸਕੀਮਾਂ ਸਬੰਧੀ ਜੇ ਕੋਈ ਇਤਰਾਜ਼ ਅਤੇ ਪ੍ਰਤੀ ਵੇਦਨਾ ਹੋਵੇ ਤਾਂ ਨਿਮਨਹਸਤਾਖਰ ਨੂੰ ਭੇਜੇ ਜਾਣ।

ਉਪਰੋਕਤ ਕੰਮ ਪੰਜਾਬ ਰਾਜ ਦੇ 66 ਕੇਵੀ ਟਰਾਂਸਮਿਸ਼ਨ ਨੈਟਵਰਕ ਵਿੱਚ ਵਾਧਾ/ ਸਮਰੱਥਾ ਵਧਾਉਣ ਦੇ ਮੰਤਵ ਕਰਕੇ ਪਲਾਨ ਕੀਤੇ ਗਏ ਹਨ ਤਾਂ ਜੋ ਰਾਜ ਦੇ ਸਾਰੇ ਤਰ੍ਹਾਂ ਦੇ ਮੌਜੂਦਾ/ਸੰਭਾਵੀ ਬਿਜਲੀ ਖਪਤਕਾਰਾਂ ਨੂੰ ਨਿਰਵਿਘਨ ਅਤੇ ਵਧੀਆ ਬਿਜਲੀ ਸਪਲਾਈ ਦਿੱਤੀ ਜਾ ਸਕੇ। ਇਹ ਕੰਮ ਬਿਜਲੀ ਖਪਤਕਾਰਾਂ ਨੂੰ ਮਿਆਰੀ ਪਾਵਰ ਸਪਲਾਈ ਯਕੀਨੀ ਬਣਾਉਣ ਲਈ ਅਤਿਅੰਤ ਲੋੜੀਂਦੇ ਹਨ।

ਸਹੀ/-

ਉਪ ਮੁੱਖ ਇੰਜੀ./ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨ(ਡ),
ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ.
ਬੀ-1, ਸ਼ਕਤੀ ਵਿਹਾਰ, ਪਟਿਆਲਾ।

ਸਹੀ/-

ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ਟੀ.ਐਸ.,
ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ.,
ਬੀ-1, ਸ਼ਕਤੀ ਵਿਹਾਰ, ਪਟਿਆਲਾ।

[263-1]